

Ace Glass

BA-EB + ■ ▲ ●

DESCRIPTION

The Ace_Glass series is born from the combination of mechanical precision and high-quality technical materials. The turned aluminum body is enhanced by a cylindrical Pyrex glass element, which not only highlights the fixture's shape but also enhances its light emission. The essential geometry, combined with the transparency and purity of the glass, gives the product a sophisticated and contemporary formal language. Ace_Glass stands out as a luminous design object, capable of blending function, aesthetics, and innovation within residential or contract spaces. Ace_Glass is not just a fixture: it is a style statement, a light that furnishes with character and restraint.




PRODUCTS CHARACTERISTICS

installation type	sospensione
material	alluminio
Finish	anodizzato
Colour	Nero
Power	9,5 W
Lumen output - Full emission	max 700 lm
Efficacy	max 74 lm/W

* Code to complete

Colour	■	CCT	▲	Cable length	●
Nero	B	2700 K	1	3 m	2
Oro	S	2700 K	2	5 m	3
Bronzo	Z	2700 K	3	10 m	4



ELECTRICAL CHARACTERISTICS

feeding	350mA
Insulation class	Classe III

MECHANICAL CHARACTERISTICS

product IP rate	IP20
-----------------	------

Ace Glass

BA-EB + ■ ▲ ●

LED SOURCE DETAILS

led source type	SMD Led
Light source coding	RG0
Light temperature	2700 K
CRI	CRI > 80
SDCM	


LIGHTING DETAILS

emission	downlight
optic	120°

COMPONENTS

Rosone - 220-240Vac, alimentatore incluso

BSS02AB + ■ ▲



* Code to complete ▲

Colour	■	Control	▲
nero	B	DALI	DA
bianco	W	On/Off	NF
		Push	PU

Rosone Trimmed - 220-240Vac, alimentatore incluso

BSS04AB + ■ ▲



* Code to complete ▲


Colour	■	Control	▲
nero	B	DALI	DA
bianco	W	On/Off	NF
		Push	PU

Ace Glass

BA-EB + ■ ▲ ●

Adattatore singolo con driver 48V dc

48-Z + ■ ▲



Control	* Code to complete	
	■ Colour	●
DV	nero	B
NV	bianco	W