

### Bike

GRF04211 - 80 W / 3000 K / CRI > 80

#### DESCRIPTION


Bike is made of matt white painted aluminium and is complete with lower PMMA screen; it allows to create soft and diffused down light effects and is particularly suitable for general lighting of medium or large environments. Its ring shape allows you to see the ceiling on the inside of the appliance. The high efficiency SMD LED source is powered by the driver integrated in the fixture which can be On/Off or dimmable multifunction 1...10 V, Push, DALI controlled. Bike is available in different sizes and powers and can be combined with the corresponding suspension versions. Available in dimmable "wireless signal" Bluetooth versions for Pan Digital or Casambi mesh network.



Switch **On / Off**

#### PRODUCTS CHARACTERISTICS

installation type	<b>ceiling lamps</b>
material	<b>Alluminio</b>
Finish	<b>Painted</b>
Color	<b>Bianco</b>
Power	<b>80 W</b>
Lumen output - Direct emission	<b>4800 lm</b>
Lumen output - Full emission	<b>4800 lm</b>
Efficacy	<b>\</b>
Diameter	<b>ø 80 cm.</b>
net weight	<b>6,4 kg.</b>



#### ELECTRICAL CHARACTERISTICS

feeding	<b>220÷240 V</b>
driver	<b>On / Off</b>
Insulation class	<b>Class I</b>

#### MECHANICAL CHARACTERISTICS

product IP rate	<b>IP20</b>
-----------------	-------------


### Bike

GRF04211 - 80 W / 3000 K / CRI > 80

#### ENERGY CLASSIFICATION



This luminaire contains built-in LED lamps.



LED

The lamps cannot be changed in the luminaire.

#### LED SOURCE DETAILS

led source type	<b>SMD Led</b>
Light source connection	<b>LED</b>
Energy class	<b>LED</b>
Light temperature	<b>3000 K</b>
CRI	<b>CRI &gt; 80</b>
SDCM	<b>\</b>

#### DRIVER CHARACTERISTICS

driver	<b>On / Off</b>
--------	-----------------


#### LIGHTING DETAILS

emission	<b>Direct</b>
optic	<b>100°</b>
UGR	<b>\</b>

### Bike

GRF04211 - 80 W / 3000 K / CRI > 80

### PHOTOMETRIC



### WARRANTY

period

**2 years**