


Penny

GRF05111PD - 60 W / 3000 K / CRI > 80

DESCRIPTION

Penny is aluminium ceiling mounted luminaire in matt white painted color; it is characterized by its large PMMA lower screen which lights up perfectly evenly; by using Penny soft and diffused down light effects are obtained with emissions up to 12700 lumens in the larger diameter version; Penny is therefore particularly suitable for illuminating large rooms with uniform and perfectly distributed light without harsh shadows. Equipped with high efficiency SMD LED sources, Penny is complete with drivers integrated in the body of the fixture and is available with On/Off control or dimmable multifunction 1...10 V, Push, DALI. Penny is available in different sizes and powers and can be combined with the corresponding suspension versions. Available in dimmable "wireless signal" Bluetooth versions for Pan Digital or Casambi mesh network.




Switch

Pan Digital

PRODUCTS CHARACTERISTICS

| | |
|--------------------------------|-------------------|
| installation type | Plafone |
| material | Alluminio |
| Finish | Verniciato |
| Color | Bianco |
| Power | 60 W |
| Lumen output - Direct emission | 3900 lm |
| Lumen output - Full emission | 3900 lm |
| Efficacy | \ |
| Diameter | ø 60 cm. |
| net weight | 3,8 kg. |



ELECTRICAL CHARACTERISTICS

| | |
|------------------|--------------------|
| feeding | 220÷240 V |
| driver | Pan Digital |
| Insulation class | Classe I |

MECHANICAL CHARACTERISTICS

| | |
|-----------------|-------------|
| product IP rate | IP20 |
|-----------------|-------------|


Penny

GRF05111PD - 60 W / 3000 K / CRI > 80

ENERGY CLASSIFICATION



This luminaire contains built-in LED lamps.



The lamps cannot be changed in the luminaire.

LED SOURCE DETAILS

| | |
|-------------------------|--------------------|
| led source type | SMD Led |
| Light source connection | LED |
| Energy class | LED |
| Light temperature | 3000 K |
| CRI | CRI > 80 |
| SDCM | \ |

DRIVER CHARACTERISTICS

| | |
|--------|--------------------|
| driver | Pan Digital |
|--------|--------------------|


LIGHTING DETAILS

| | |
|----------|----------------|
| emission | Diretta |
| optic | 110° |
| UGR | \ |

Penny

GRF05111PD - 60 W / 3000 K / CRI > 80

PHOTOMETRIC



WARRANTY

period

2 years