

# Lupin

PAR185 - 1x spot - 7 W / 3000 K / CRI > 80

#### DESCRIPTION

The Lupin luminaire series is made of matt white painted aluminium. The optical bodies are complete with anti-glare front and are equipped with an integrated electronic driver and GU10 lamp socket. Lupine is designed to illuminate with concentrated light effects; the range includes different configurations for wall or ceiling installation and is completed with coordinated versions for suspended installation.

Switch

On÷Off



## **PRODUCTS CHARACTERISTICS**

installation type Ceiling / Wall diffusers Aluminum Ceiling 1x Spot material White Color Power 7 W Lumen output - Full emission 550 lm 0,60 kg. net weight 14 12 Ø7Ø7 kg 0.6

#### ELECTRICAL CHARACTERISTICS

feeding	220÷240 V
driver	On÷Off
Insulation class	Class I

## MECHANICAL CHARACTERISTICS

product IP rate

IP20

PAN Srl Via G. Michelucci, 1 50028 Barberino Tavarnelle Firenze, Italy Tel. +39 055 80 59 336/7 Fax +39 055 80 59 338 panint@panint.it www.panint.it This datasheet is property of Pan Srl. All rights reserved. We reserve the right to make technical changes without notice.



# Lupin

PAR185 - 1x spot - 7 W / 3000 K / CRI > 80

## LED SOURCE DETAILS

led source type	LED
Light source connection	GU10
Light temperature	3000 K
CRI	CRI > 80

#### DRIVER CHARACTERISTICS

driver

On÷Off

#### LIGHTING DETAILS

emission

Direct