

Focus

RTB34214 - Rounded - Adj / 4,5 W / 4000 K / CRI >80

DESCRIPTION

Small and performing, the Focus series of recessed minispots create precise accents of light without glare thanks to the backward position of the LED source. In the fixed and adjustable versions, the Focus minispots emit bright light within a sharp and smudge-free beam with only 4.5 W of electricity absorption. The LEDs selected from the first labels and the body entirely made of die-cast aluminum ensure both a long life to the LED source and the constancy of its colorimetric characteristics over time (L80 / B20 at 50,000 hours). Focus is available in a matt white and matt black finish and complete of wired driver.

www.panint.it



Switch

Firenze, Italy

On÷Off

PRODUCTS CHARACTERISTICS

installation type	Recessed Spotlights	
material	Aluminum	
Color	Black	
Power	4,5 W	30°
Lumen output – Full emission	220 lm	
Efficacy	88 lm/W	50
Diameter	ø 52 mm.	
Dimensions	h 50 mm.	
net weight	0,10 kg.	
		~~-
		🕑 ø45 mm.
		هُ 0,10
		<u> </u>

ELECTRICAL CHARACTERISTICS				
driver	On÷Off			
MECHANICAL CHARAC	TERISTICS			
product IP rate	IP20			
HOLE RECESS DIMENSI	ONS			
PAN Srl Via G. Michelucci, 1 50028 Barberino Tavarnelle	Tel. +39 055 80 59 336/7 Fax +39 055 80 59 338 panint@panint.it	This datasheet is property of Pan Srl. All rights reserved. We reserve the right to make technical changes without notice.		



Focus

RTB34214 - Rounded - Adj / 4,5 W / 4000 K / CRI >80

hole recess diameter	ø 45 mm.
----------------------	----------

LED SOURCE DETAILS

Power Led
RG 1 Low risk (IEC 62471)
700 mA
4000 K
CRI >80
< 3

DRIVER CHARACTERISTICS

driver	On÷Off	
LIGHTING DETAILS		
luminous effect	spot	
optic	38°	
Beam angle – direct	38°	

PHOTOMETRIC

