

Mini Strip

STP11523 - PCB size 4 mm. - 8 W/m - 168 LED/m (Single Cut) / 2700 K / CRI > 90

DESCRIPTION

The constant technological growth continuously offers new useful solutions in lighting design. LEDs with minimal dimensions find space on a small PCB and a very high performances make a strip with extremely reduced overall dimensions. The ideal combination is with the Micro series profiles, which are characterized by extremely small dimensions for minimal and high-performance installations.

168 LED/m

4 mm

PRODUCTS CHARACTERISTICS

Power Lumen output – Full emission Efficacy	8 W/m 860 lm/m 108 lm/W	
		Size: 4 mm Total lenght: 5 m

ELECTRICAL CHARACTERISTICS		
feeding Insulation class	24 V DC Class III	
MECHANICAL CHARAC	TERISTICS	
product IP rate	IP20	
PAN Srl Via G. Michelucci, 1 50028 Barberino Tavarnelle	Tel. +39 055 80 59 336/7 Fax +39 055 80 59 338 panint@panint.it	This datasheet is property of Pan Srl. All rights reserved. We reserve the right to make technical changes without notice.

www.panint.it

Firenze, Italy



Mini Strip

STP11523 – PCB size 4 mm. – 8 W/m – 168 LED/m (Single Cut) / 2700 K / CRI > 90

LED SOURCE DETAILS

led source type Light temperature CRI SMD LED - 2216 2700 K CRI > 90